CITY OF BATAVIA RESIDENTIAL ALTERATIONS REQUIREMENTS



City of Batavia
Building Division
Community Development Department

100 North Island Avenue Batavia, Illinois 60510 Tel: (630) 454-2700 Fax: (630) 454-2775 http://www.cityofbatavia.net

Please direct all questions to the City of Batavia Building Division of the Community Development Department, Monday through Friday from 8 AM to 4 PM at (630) 454-2700.

This is a summary of the City of Batavia Ordinances affecting alterations to an existing building. This is intended to interpret and explain the ordinances but does NOT represent or replace the actual ordinance language. Every effort has been made to ensure the accuracy and timeliness of this information.

02/2021

Before Starting:

- A building permit is required for any addition, basement finish, kitchen and bathroom remodel, window and door replacements, and or any type of alteration to a home which involves framing, electrical, and plumbing or mechanical equipment replacement.
- Cosmetic upgrades, such as replacing bath or kitchen **countertop only**, plumbing fixtures repaired or replaced in the same location without any new piping installation, finish flooring, electrical switches, receptacles and lighting fixtures in the same location without new wire installation, do not require a permit.
- In some cases, an additional permit for demolition may be required when removing an existing portion of the structure's exterior walls as part of the remodel.

Application Procedures:


- Submit a completed Building Permit Application to the City of Batavia Building Division of the Community Development Department.
- Pay required minimum submittal fee. Additional fees may be due at time of permit issuance, depending upon gross area of addition and or valuation of the project or a combination of both and plumbing inspections when required.
- If plumbing work is part of the project, a completed "Residential Plumbing Review Sheet" shall be completed and submitted.
- Provide a copy of the plumbing contractors Illinois License Registration and an original notarized "Letter of Intent" signed by the plumbing contractor. If you, the homeowner, are completing all plumbing work, a notarized Letter of Intent signed by you is required.
- Submit two sets of plans. If the renovation includes an addition or increased foot print of the structure, a plat of survey shall be submitted. The survey shall be to scale, not reduced or enlarged when copied.

- Attach copy of contractor's contract for valuation purposes. If no contract is submitted or the
 property owner is acting as the contractor, the most current ICC Building Valuation Data cost per
 square foot will be used.
- Attach two copies of plans. Plans shall include existing conditions and the proposed renovations. Plans shall include sufficient detail to demonstrate compliance with the City of Batavia adopted Building Codes and Ordinances. The drawings shall be as accurate as possible, drawn to 1/8": 1' or greater scale, include dimensions, walls, cabinets, fireplaces, receptacles, switches, lighting, smoke/carbon monoxide detectors, ceiling and exhaust fans, new sump or ejector pits and rooms identified as to proposed use.
- Framing details shall include a typical wall detail, header sizes, beam and column sizes and if engineered lumber is specified, the manufacturers Sizing Tables.
- Basement finish plans shall indicate each room, soffit and drop ceiling heights, electrical panel location, sump and ejector pit locations and mechanical room (with gas appliances Btu/h input for each.) Gas furnace and water heater areas shall have sufficient venting and combustion air. Refer to IRC, Chapter 17 & 18 for specific details.
- When new or replacement stairs are proposed, provide a typical stair detail indicating riser height, tread depth and nosing projection, handrail and guardrail specifications.
- When new or replacement windows / doors are proposed, provide opening sizes, U-factor values (max .30) and any hazardous location details. Provide framing details as applicable.
- Replacement windows may be "like for like" as long as the window is the manufacturer's largest standard size window that will fit within the existing frame or existing rough opening. The replacement window shall be permitted to be of the same operating style as the existing window or a style that provides for an equal or greater window opening area than the existing window.
- For new window openings, identify size and location of all windows, noting required egress windows. Bedrooms must have a second code-compliant means of egress such as a window or second door to the outdoors. Egress windows in basement bedrooms shall be 36" maximum above floor level, other than basement bedrooms, egress windows shall be 44" maximum above floor level. A bedroom is defined as any enclosed room with a closet. This may include a "den", "study", "playroom" or "office".
- When the thermal envelope of the structure is to be altered, provide R-value of insulation in affected walls and or ceilings.
- Plans shall indicate location of all supply/returns for forced air heating (required in every habitable room) or alternate means of heat such as hot water or electric base board heaters.
- Combination-type AFCI protection for (new) bedroom electrical branch circuits shall be provided. This includes smoke/CO detectors in those areas.
- GFCI protected receptacles are required in bathrooms, kitchens, unfinished areas, within 6' of water sources and exterior areas. (This includes screen porches).
- All bathroom exhaust fans shall be vented to dedicated exterior terminations. Ducts extending into unconditioned areas must be insulated.

Homeowner/Contractor Responsibilities

- Schedule the required inspections with the City of Batavia Building Division of the Community Development Department. Please schedule inspections at least 48 hours in advance to insure that we can meet your schedule. Additional inspections, other than those listed on the Permit Placard may be required, depending upon the scope and complexity of the project.
- Make sure that the work is ready for inspection before the inspector arrives. To avoid a reinspection fee, please cancel the inspection if the work is not ready.
- Make sure copies of all approved submittals and plan review comments are available on site.
- It is the owner's /contractor's responsibility to maintain a clean work site and remove construction debris in a timely manner.
- ALL PERMITS REQUIRE A FINAL INSPECTION.

Basement Finish Detail / Per 2018 IECC w/ Illinois Amendments



No electrical junction boxes, water or gas valves, plumbing drainage clean outs or equipment requiring periodic servicing may be concealed behind gypsum board or other permanently installed wallboard.

Code-compliant combustion air must be provided to all fuel burning appliances.

Required Volume: 50 Cu.Ft. per 1000 BTU/hr of aggregate input rating of each appliance.

Less Than Required Volume: Indicate code-compliant means to provide. See 2006 IRC Chapter 17.

Every habitable room served by a forced-air HVAC system must be provided with both, supply and return air.

When alterations occur, smoke detectors must be confirmed to be located in each hallway with a minimum of (1) per floor. Additionally, at least one CO detector must be located within 15' of any sleeping area.